

Unloading of BASF EPS Goods

Removal of Octabin Safety System – Best Practices



2 types of Octabin Safety Systems...



... 1 process for their Removal, in 3 Steps,
all from the ground

Step 1/3 : **LOOSEN** the straps



... 1 process for their Removal, in 3 Steps,
all from the ground

Step 2/3 : On 1st side of the trailer, **PUSH** the Safety cover /
Safety system on top of the octabins.




... 1 process for their Removal, in 3 Steps,
all from the ground

Step 3/3 : On the 2nd side of the trailer, **PULL** and remove definitively the Octabin Safety system




Additional Safety Rules related to Octabin Safety system



To get on the trailer floor is allowed only to unlock a part of the Safety system. In such case truck ladder or mobile staircase **MUST** be used to get on and to get down the trailer floor.



OBLIGATOIRE / MANDATORY
OBLIGATORISCH / I DETYRUAR
ՊԱՐՏԱԴԻՐ / ЗАДЪЛЖИТЕЛНО
OBLIGATORIO / OBBLIGATORIO
Majburiy / OBOWIĄZKOWY
OBRIGATÓRIO / OBLIGATORIU
POVINNÝ / ZORUNLU



Additional Safety Rules related to Octabin Safety system



It's strictly FORBIDDEN to climb on the octabins

INTERDIT / FORBIDDEN
Verboten / E ndaluar
Արգելված / Забранен
prohibido / Vietato
Taqiqlangan / zabroniony
Proibido / interzis
Zakázané / yasaklı

DISCLAIMER

The above statements are technical recommendations and do not guarantee their accuracy or completeness. BASF assumes no liability arising from or in connection with the use of these recommendations, to the extent permitted by law. It is the responsibility of the user to independently verify and confirm the assumptions, including any applicable fire protection regulations and official requirements.

STAMP and SIGNATURE

 **BASF**

We create chemistry